



BHANDARI



A  
**STAINLESS**  
WORLD

**BHANDARI FOILS & TUBES LTD**

Coils & Foils | Pipes & Tubes | Pipe Fittings



# Coils

|           |  |
|-----------|--|
| Grades    | 201, 202, 301, 302, 304, 304L, 309S, 310S, 316, 316L, 316Ti, 317, 317L, 321, 347, 904L, 409L, 41 OS, 430, 410, 420, 2205 |
| Finish    | CR, 2D, 2B, BA   |
| Thickness | 0.30 MM - 4.00 MM  |
| Width     | 10 MM -525 MM  |
| Capacity  | 3000 MT per year   |
| Standards | ASTM ASME DIN JIS or any other International standard  |



## Unmatched Quality



# Foils

|           |   |
|-----------|---|
| Grades    | 201, 202, 301, 302, 304, 304L, 309S, 310S, 316, 316L, 316Ti, 317, 317L, 321, 347, 904L, 409L, 410S, 430, 410, 420, 2205 |
| Finish    | CR, 2D, 2B, BA  |
| Thickness | 0.08 MM - 0.30 MM   |
| Width     | 5 MM - 375 MM   |
| Capacity  | 4500 MT per year  |
| Standards | ASTM ASME DIN JIS or any other International standard   |





# Pipes & Tubes

## TUBES

|           |  |
|-----------|--|
| OD Size   | 6.0 MM -102.0 MM   |
| Thickness | 0.7 MM -4.0 MM   |
| Length    | 15 Meters Maximum  |
| Type      | Welded & Seamless  |
| Finish    | Polished & Unpolished                                    |
| Capacity  | 3000 MT per year   |
| Standards | ASTM, ASME, DIN, JIS or any other International standard |



## PIPES

|           |  |
|-----------|--|
| NB Size   | 6.0 MM - 200 MM  |
| Thickness | 1.6 MM - 8.0 MM  |
| Length    | 15 Meters Maximum  |
| Type      | Welded & Seamless  |
| Finish    | Unpolished   |
| Capacity  | 4200 MT per year   |
| Standards | ASTM, ASME, DIN, JIS or any other International standard |

### Rectangular Hollow Sections

|           |  |
|-----------|--|
| Size      | (15x15) MM to (225x225) MM                               |
| Thickness | 1.6 MM to 5.0 MM   |
| Length    | 15 Meters Maximum  |
| Type      | Welded   |
| Finish    | Polished & Unpolished                                    |
| Standards | ASTM, ASME, DIN, JIS or any other International standard |

## New Pipe Mill

|           |   |
|-----------|---|
| NB Size   | 8" NB-16" NB  |
| Thickness | Sch. 5/10/40  |
| Length    | 24 Meters Maximum   |
| Type      | Welded  |
| Finish    | Polish / Unpolish   |
| Capacity  | 2000 MT per Month   |
| Standards | ASTM, ASME, DIN, JIS or any other International Standards |

## Heat Exchanger Tubes

|                  |  |
|------------------|--|
| OD Size          | 6.0 MM - 50.8 MM   |
| Thickness        | 0.5 MM - 3.5 MM  |
| Length           | 30 Meters Maximum  |
| Special Features | Online Bright Annealing<br>Online Polishing<br>Online Eddy Current Check |
| Capacity         | 3000 MT per year   |
| Standards        | ASTM, ASME, DIN, JIS or any other International standard                 |

## Large Diameter Fabricated Pipes

|           |  |
|-----------|--|
| OD Size   | 273.0 MM - 1524.0 MM                                     |
| Thickness | 2.77 MM - 20.0 MM  |
| Length    | 12 Meters Maximum  |
| Capacity  | 3000 MT per year   |
| Standards | ASTM, ASME, DIN, JIS or any other International standard |



# Pipe Fitting

## SS FITTINGS DIVISION

Bends  
Elbows  
Tee  
Reducers  
Stub ends



**Setting High Standards**

|           |   |
|-----------|---|
| NB Size   | 1/2" to 24"   |
| Thickness | Sch. 5 to Sch. 40   |
| Type      | Seamless & Welded   |
| Finish    | Polished and Unpolished                                     |
| Capacity  | 2400 MT per year  |
| Standards | ASTM, ASME, DIN, JIS or<br>any other International standard |

